Index: Electronic Engineering January: December 1969

Page

A Acoustic delay devices, by R. C. Kumar and R. P. Wadhwa.
An introduction to acoustic delay devices with respect to frequency of operation March 372

Aluminium electrolytic capacitors, performance characteristics of, by A. T. Pitt Sept 33
Discuss leakage, capacitance, power factor and service life.

B Branching loss in t.b. cell-less duplexers, by M. M. Brady. May 42
Theory of t.b.-less duplexer is given together with equations and design curves.

C Cables drive unit, high-speed, by B. C. Hant May 72
Theory and design of a circuit to drive fast pulses along low impedance cables.

Cardiothoracic surgery, a monitor system for, by A. R. McGough and R. D. McDonald. Nov. 57
Theatre monitoring facilities for data presentation.

Class A amplifier, optimum design of, by C. F. Ho Sept. 49
Describes the determination of optimum operating point of a common emitter circuit.

Coaxial attenuator design, by T. Spence April 524
Complete design theory together with design curves for use in the u.h.f. band

Component protection, progress in, by T. Pellew and K. Gilkes Oct. 46
Reviews the latest technology in protective coatings

Computer aided design of microwave circuits, by F. E. Emery and G. J. Policky Dec. 41
A general purpose program for the analysis of ladder type networks.

Component development in West Germany. Seimens report. June 10
The influence of electro-mechanical components on packing density.

Correlation methods, by R. A. Cutting, G. M. Edge, R. C. Hook, I. H. Quayle and R. J. Saville-Smith Oct. 48
Reviews the mathematical basis for correlation and ways of automatically extracting functions.

Cross-correlation analyser using a p.r.b.s. by H. Wilson May 66
Application of cross-correlation to system identification.

Counting, basic logical approach to, by P. Brackne April 515
A non-mathematical approach to the build-up of counters from the basic logic NAND element.

Crystal growth, research improves, by Staff EE Feature. Nov. 25
An analysis of the photo-electric effect in bulk semi-conductors, and advances in crystal research.

Commutating and interfacing with junction and MOS FETs, by D. Hargrave. Dec. 56
Technicque based on the f.e.t. as an analogue switch.

D Delay generation in asynchronous logic systems, by D. W. Lewin. March 356
A technique for designing pulse generators using standard logic practice.

D.C. reference voltage circuit with fine and coarse adjustment of magnitude, by H. A. Cole July 13
An inexpensive circuit with adjustment over the range OV to 5V.

Digital wave form synthesis by E. T. Powner, D. H. Green and G. T. Taylor Aug. 50
Circuit description and applications of apparatus capable of synthesising the simplest or most complex waveform.

Digital 16-bit memory cell functional tester, by A. Nguyen-Huu April 484
Description of a circuit for testing a HLTTL memory cell.

Digitally-controlled variagle-gain linear d.c. amplifier, by A. Sedra and K. C. Smith March 362
A d.c. amplifier with gain variable from 0 to 25.5 in steps of 0.1.

Drift stablised operational amplifier, by J. O. Gray and J. C. S. Yu Aug. 55
A general purpose operational amplifier for analogue and parallel logic computers.

Dual channel pulse tain generator for stimulation of physiological preparations, by Hinshelwood and Seabridge July 29
A method for alternating the periods of stimulation between transverse muscle stimulation and neural excitation.

Dual polarity astable multivibrator, by C. F. Ho Feb. 230
A circuit is described which produces positive and negative pulses over a wide frequency range

E Electronic metronome using a novel frequency divider, by J. M. Townsend. Feb. 224
Circuit produces a 'beat' and 'bar' output variable over a 10:1 ratio from 1 cycle/3 seconds.

Emitter-follower as a constant voltage source, by G. N. Patchett Feb. 205
Article deals with good design factors and describes a compensating circuit and current limit protection.

Error detecting capabilities of parity codes, by R. Halkon July 38
A brief explanation of row, column and diagonal parity.

F FET amplitude modulator, analysis of an, by W. N. Cheung July 50
Uses the concept of variable transconductance in analysis and design

FET Sample and hold circuit using error-corrective feed-back by E. T. Powner and A. F. J. O'Shea Feb. 209
A system is described which has a 1 MHz sampling rate with a hold accuracy better than 5 mV.

Field-effect transistors, some applications of, by E. E. Staff feature Sept. 18
Describes a number of amplifier, oscillator and Schmitt trigger configurations.

Fire detection system, solid-state, by C. A. Griffiths Jan. 62
An inexpensive system designed to meet B.S.3116

Flexible printed wiring. Electroprints Ltd report. Oct. 29
Reviews some recent applications.

Fœtal heart rate monitor, by J. Simcock Nov. 54
Describes equipment for obtaining biological signals from an unborn child

Function generator, a hypotenuse, by D. P. Franklin Jan. 63
Describes a piece-wise-linear biode function generator with an accuracy better than 1%.

Page

Generating the sum of difference of two signal frequencies, by G. Klein and K. E. Kuijk March 378
A circuit for SSB modulation of a relatively high frequency by a low frequency.

H High-Q N-path filter using diode bridges, by R. C. V. Macario Jan. 76
Reviews the theory of filter operation, and describes a practical circuit.

I Integrated analogue divider/multiplier, by V. C. Roberts April 496
A circuit whose output is equal to the product of two input variables divided by a third.

Integrated circuits, mounting and connection of, RCA/Report Oct. 17
Discusses mounting and connecting technique with particular reference to 14-lead and TO-5 packages.

Integrator resetting switch using a unijunction transistor and a thyristor, by E. J. Brach, A. R. Mack, and G. St. Armour Jan. 94
Describes a circuit used as a switch function to discharge an integrating capacitor.

L Logarithmic amplifier, by J. Karakatsanis and A. Spetsakis Aug. 46
Circuit design of a variable load resistance logarithmic amplifier

Logarithmic computation, a fresh approach to, by K. J. Dean April 488
A new technique for the generation of binary logs and anti-logs.

Logic system for position control of a squirrel-cage induction motor, by L. Balmer and C. P. Lewis March 349
Position control of a 3-phase motor started on-line by a drive capacitor.

Low power, high-speed logic circuit, Philips report July 54
A derivative of the Schmitt trigger circuit used in logic circuits.

M Microwave transistors and integrated circuits, by W. S. E. Mitchell Dec. 37
Discusses some of the latest techniques in microwave semiconductor technology.

Modular construction system allows precise amplifier alignment, by R. H. Frater and C. J. Murray Dec. 46
A system which allows amplifier to be aligned stage by stage.

Monolithic amplifiers, the application of, by J. V. Gray and M. J. Jackson May 34
Non linear circuits as operational elements in low-cost analogue or parallel logic computers.

Mosfet electrometer circuits, by M. Pacak Sept. 24
Three circuits with different grades of effectivity, complexity and economy.

MOST chopper with complementary drive circuit, series shunt by V. J. Phillips Sept. 29
A circuit which alternately switches on and off, and handles both polarities of input.

Moulding and casting of electronic components, by P. A. Dunn Oct. 42
A short review of casting techniques and applications.

Moving-coil capsule, design of a new general purpose, by T. Holl July 23
Evolution of the design at the laboratory and production stages.

Multi-chips modules, assembly and repair, by A. G. Cozens Oct. 22
Discusses processes for chip mounting and repair.

Multivibrator, a stable very low frequency, by M. J. Tucker and C. A. Hunter Sept. 37
A collector base coupled multivibrator which achieves maximum frequency stability at a low frequency

N Navigation without false courses by Prof. E. O. Willoughby Dec. 61
A simple theorem leading to control of polar diagrams of radiating systems

Page

Noise in junction diodes and pipolar transistors at moderately high frequencies by F. N. H. Robinson Feb. 218
Expressions and equivalent circuits are obtained which describe the noise in bipolar transistors up to one half cut-off.

Noise in field-effect transistors at moderately high frequencies, by F. N. H. Robinson March 353
Expressions of noise in the channel current and the induced gate noise.

Noise in common-emitter amplifiers at moderately high frequencies, by J. N. H. Robinson April 520
Establishment of general principles applied to the behaviour of c.e. amplifiers.

Noise in common source f.e.t. amplifiers at moderately high frequencies, by G. N. H. Robinson May 77
Principles involved in the design of low-noise f.e.t. amplifiers and results likely to be obtained.

Non-linear feedback shift-register circuits by K. S. Hall Feb. 194
A method of designing shift registers is described which produce logical sequences of specified lengths.

O Operational amplifiers in narrow-band filter systems for spectrum analysis at audio and sub-audio frequencies, by D. Llanwyn Jones Jan. 97
Two active filter systems are described which make use of modular amplifiers.

Optoelectronic transformer, small signal, by L. R. P. Symons Nov. 35
Describes a wide-band transformer with a bandwidth of 20Hz–7MHz

Order and probability in the appearance of discreet events, electronic methods for the determintion of the, by N. Kouvaras and D. Lagoyannis Jan. 73
Solution to problems involving determination of sequence or occurrence of events in a certain sequence.

P Parabolic antenna beam-scanning by defocusing, by T. Takeshima Jan. 70
A method of scanning which uses reflector tilting and beam scanning by defocusing.

Parallel b.c.d. adder/subtracter, design of a, by F. White Feb. 229
Describes how the b.c.d. system can be broken down into a binary adder/subtractor and a divide by five system.

Phase measuring system for LF pulsed ionospheric radar, by G. L. Austin July 44
Systems for determining the absolute phase of returned signals and their angle of arrival.

Photocells in ic's, incorporating, by L. H. Wilson Nov. 32
Describes scanned photocell arrays which could replace photomultipliers and vidicons.

Phototransistors in communications and control applications of, Staff Nov. 29
Si planar photo transistors that exploit the isolation properties of optically coupled circuits.

Physiological parameters, monitoring and recording of, by M. Ingerfield. Nov. 47

Potentiometers, miniature adjustment, Staff Aug. 33
A review of currently available types.

Power transistors, second breakdown in, Staff May 46
Explains forward-biased second breakdown and shows the need for an area of safe operation.

Precision pulse generator for calibration of analogue-to-digital converters and sample and hold circuits, by U. Kracht Jan. 90
Describes a precision pulse generator which uses a d.c. coupled output stage.

Printed transformers for high frequencies, by J. L. Casse June 34
Design curves and experimental results.

Probing and modelling the nervous system by, J. A. Cockin Jan. 79
Review of a symposium on 'Technical and Biological Problems of Control'

Page

Pseudo-random binary sequence correlator using integrated circuits, by R. G. Young Sept. 41
Shows how the hardware of a correlator can be realised with both digital and linear i.c.'s.

Pulse delay circuits suitable for triggering thyristors, by W. N. Cheung Feb. 211
A delay system using sampling and pulse position modulation.

Pump circuit, improved high resolution, by P. Zafiropoulos Mar. 360
A circuit offering a resolution of 2.5 μs at low pulse rate.

R Recent trends in components, Staff May 10
Forecasts the future of discrete components, and the uses of new materials

Reliability definitions for electronic equipment, by F. Ask June 13
Definitions and expressions most frequently encountered in reliability analysis.

Reliability of amplifier circuits, improving the, by J. Van Staalduinen June 17
Employment of redundant elements in a circuit with particles reference to a redundant form of the transistor.

Resistance between holes in a metallized rectangle, by J. van Bladel June 29
Formulæ given for the resistance of a rectangular strip connecting two holes.

Ring counter using one transistor per stage, by D. J. Grover June 23
Use of a monostable active element to maintain discrete condition associated with the count.

RRE Malvern, research report, by L. G. Poole Dec. 33
A review of recent activities with reference to industrial applications.

S Sequentail display, by J. D. Nicoud Nov. 40
A display using Nixie tubes, and which needs only one counter is described.

Single crystals of some magnetic materials, growth of, by N. D. Chinmulgund. Jan. 58
Review of techniques with special reference to spinels and garnets.

S-band Y-junction stripline circulator with triangular ferrite, by R. C. Kumar Feb. 214
Design and experimental results of a 3-post Y circulator operating around 3-4GHz.

Slotted array aerial system, frequency bandwidth of, by T. Takeshima and Y. Isogai Feb. 201
A feed system for broadbanding of input impedance in a resonant and non-resonant array.

Soldered microconnections, metallurgy of, by J. E. Tomlin Oct. 26
Discusses soldering techniques with particular reference to the effects of intermetallic layers and dissimilar geometries

Solid state scanner for patter recognition, use of a, by F. C. Evans Nov. 43
Identifying a pattern by studying harmonics present in its video waveform.

Statistics of components, Staff May 14
Financial consideration of components and capital equipment.

Storage decoding decade for indicating tubes, by D. M. Pantic Mar. 368
Storage with high-voltage semiconductor devices for direct driving of a tube.

Stretching of analogue pulses, by W. J. Mundl Feb. 215
Design of circuit used to obtain continuous ink recordings of the activity of single neurons during animal experiments.

Sub-nanosecond integrated logic-circuits, advance developments in, by J. A. Narud and W. C. Seelbach July 17
A number of current mode gate and flip-flops capable of operating with a propagating delay of a nasecond or below.

Swept frequency technique for displaying transmission line characteristics, by C. E. Richardson Feb. 200
Plotting of transmission line characteristics against frequency.

Symmetrical rod-couples circuit for high-power travelling-wave tubes, by R. C. M. King Aug. 40
A circuit for high power t.w.t.'s consisting of a series of pill-box cavities coupled by non-reversed loops.

Syntheszing frequency selective circuits, new electronic element for, by B. Stuttard Feb. 190
A method, based on the composite transistors for simulating the effect of an inductor.

T Temperature compensation of large rectangular resonant cavities, by M. Michael Brady Feb. 198
Compensation of aluminium cavities to prevent temperature dependant resonant frequencies.

Three-phase point-on-a-cycle switch, by R. A. Stevens Jan. 82
Describes the switching of an a.c. supply by means of six thyristors.

Thin and tick film circuits, by C. H. Hockoday. May 57
Progress in manufacturing techniques and materials.

Thyristor linear power control, improved delay circuit for, by I. Malensani Jan. 84
Describes a delay circuit which exhibits linear gain over the whole range of operation.

Time-constant variable over a large range, by J. Clarke March 365
A simple R.C. Network that can be varied over wide range.

Toroidal transducer for electromechanical filters, balanced action, by R. P. Walters March 338
Design of a transducer based upon the geometrical form of a toroid.

Transistor models for circuit analysis programs, by R. W. Brown Dec. 50
Linear and non-linear modules for time domain analysis.

Transistor oscillator stability depends on external components, by A. M. Kubo July 34
Describes how oscillator reliability is improved when frequency is made independent of internal parameters.

Transistor in power supplies, overlead protection of, Siemens report May 45
Two circuits are described, which are fully protected against short-circuit conditions.

Transmission line impedance matching transformer, by Shiv Prasad Kosta March 376
Theoretical analysis and design of a line loaded with short dipoles.

V Vacuum window for coaxial line, matched, by P. Bramham April 491
A method of compensation is described which is convenient for a brazed assembly.

Vitreous silica in electronics. Part 1, by G. Hetherington, G. W. Stephenson and J. A. Winterburn May 52
Discusses latest materials and their application in electronics.

Vitreous silica in electronics. Part 2, by G. Hetherington, G. W. Stephenson and J. A. Winterburn June 44
Sealing techniques and applications.

Voltage follower for d.c. voltmeter applications, by P. Williams May 40
A circuit for increasing the input resistance of a multi-meter on its d.c. voltage range

Voltage-to-frequency converter, high-performance, by I. Cakulev and M. Stojanovic March 346
A converter with an accuracy of 10^{-3} for input change of 30dB.

Z Z-plot–a method of assessing transmission line performance, by R. C. V. Macario Jan. 66
Testing transmission lines using a frequency domain method is described.

AUTHORS INDEX

A	Ask, F.	June	13
	Austin, G. L.	July	44
B	Bladel, J. van	June	29
	Bracht, E. J.	Jan.	94
	Brackne, P.	April	515
	Brady, J. Michael	Feb.	198
		May	42
	Bramham, P.	April	491
	Brown, R. W.	Dec.	50
	Balmer, L.	March	349
C	Cakulev, T. I.	March	346
	Casse, J. L.	June	34
	Cheung. W. N.	Feb.	211
		July	50
	Chinmulgund, N. D.	Jan.	58
	Clarke, J.	March	365
	Cockin, J. A.	Jan.	79
	Cole, H. A.	July	13
	Cozens, A. G.	Oct.	22
	Cutting, R. A.	Oct.	48
D	Danilovic, D. Z.	Feb.	211
	Dean, K. J.	April	488
	Dunlop, J.	Sept.	29
	Dunn, P. A.	Oct.	42
E	Edge, G. M.	Oct.	48
	Emery, F. E.	Dec.	41
	Evans, F. C.	Nov.	43
F	Franklin, D. P.	Jan.	63
	Frater, R. H.	Dec.	46
G	Gilkes, K.	Oct.	46
	Gray, J. D.	May	34
		Aug.	55
	Green, D. H.	Aug.	50
	Griffiths, C. A.	Jan.	62
	Grove, D. J.	June	23
H	Halkon, R.	July	38
	Hall, K. S.	Feb.	144
	Hargrove, D.	Dec.	56
	Hart, B. L.	May	72
	Hetherington, G.	May	52
		June	29
	Hinshelwood, J. W.	July	29
	Ho, C. F.	Feb.	230
		Sept.	49
	Hockaday, C. H.	May	57
	Holden, J.	Oct.	33
	Holl, T.	July	23
	Hook, R. C.	Oct.	48
	Hunter, C. A.	Sept.	37
I	Ingerfield, M.	Nov.	47
	Isogan, Y.	Feb.	201
J	Jackson, M. J.	May	34
K	Karakatsanis, J.	August	46
	King, R. C. M.	August	40
	Klein, G.	March	378
	Kouvaras, N.	Jan.	73
	Kosta, S. P.	March	376
	Kracht, U.	Jan.	90
	Kubo, A. M.	July	34
	Kuijk, K. E.	March	378
	Kumar, R. C.	Feb.	214
		Mar.	372
L	Lagoyannis, D.	Jan.	73
	Lewin, D. W.	Mar.	356
	Lewis, C. P.	Mar.	349
	Llanwyn Jones, D.	Jan.	97
M	Macario, R. C. V.	Jan.	66
		Jan.	76
	Mack, A. R.	Jan.	94
	Malesani, L.	Jan.	84
	McDonald, R. D.	Nov.	57
	McGough, A. R.	Nov.	57
	Michalowicz, T.	Oct.	33
	Mundl, W. J.	Feb.	215
	Murray, C. J.	Dec.	46
N	Narud, J. A.	July	17
	Nguyen-huu, Anh.	April	484
	Nicoud, J. D.	Nov.	40
O	O'Shea, A. F. J.	Feb.	209
P	Pacak, M.	Sept.	24
	Pantic, D. M.	March	368
	Patchett, G. N.	Feb.	205
	Pellew, T.	Oct.	46
	Phillips, V. J.	Sept.	29
	Pitt, A. T.	Sept.	33
	Policky, G. J.	Dec.	41
	Powner, E. T.	Aug.	50
Q	Quayle, I H.	Oct.	48
R	Richardson, C. E.	Feb.	200
	Roberts, V. C.	April	496
	Robinson, F. N. H.	Feb.	218
		Mar.	353
		April	520
		May	77
S	Saville-Smith, R. J.	Oct.	48
	Seabridge, A. G.	July	29
	Sedra, A.	Mar.	362
	Seelback, W. C.	July	17
	Simcock, J.	Nov.	54
	Smith, K. C.	Mar.	362
	Sobajic, M. V.	Feb.	221
	Spence, T.	April	524
	Spetsakis, A.	Aug.	46
	Staalduinen, J. van	June	17
	St. Amour, G.	Jan.	94
	Stephenson, G. W.	May	52
		June	44
	Stevens, R. A.	Jan.	82
	Stojanovic, B. M.	Mar.	346
	Stuttard, B.	Feb.	190
	Symons, L. R. P.	Nov.	35
T	Takeshima, T.	Jan.	70
		Feb.	201
	Taylor, G. T.	Aug.	50
	Tomlin, J. E.	Oct.	26
	Townsend, J. M.	Feb.	224
	Tucker, M. J.	Sept.	37
V	Veselinovic, D. I.	Feb.	221
W	Wadhwa, R. P.	Mar.	372
	Walters, R. P.	Mar.	338
	White, F.	Feb.	229
	Williams, P.	May	40
	Willoughby, E.O.	Dec.	61
	Wilson, H.	May	66
	Wilson, L. H.	Nov.	32
	Winterburn, J. A.	May	52
		June	44
Y	Young, R. G.	Sept.	41
	Yu, J. C. S.	Aug.	55
Z	Zafiropolous, P.	March	360